ELSEVIER

Journal of Organometallic Chemistry 514 (1996) 299–300

Journal of Organometallic Chemistry

Author Index of Volume 514

Almansour, A.I., 277
Alt, H.G., 45, 257
Atencio, R., 103
Ayoko, G.A., 277

Barnier, J.-P., 67
Battistuzzi, R., 29
Behrens, U., 81
Biesemans, M., 203
Bitterwolf, T.E., 13
Bivens, L., 1
Blanco, L., 67
Bond, A.M., 137
Borsari, M., 29
Bouhdid, A., 203
Boyd, W.A., 1
Brandsma, L., 191
Brégaint, P., 157
Breunig, H.J., 149

Cabeza, J.A., 197
Capelli, S., 213
Casado, M.A., 103
Ciriano, M.A., 103
Colombo, P., 213
Couret, C., 37, 59
Crossman, M.C., 87
Cuenca, T., 93

Dargatz, M., 233
Darki, A., 1
De Battisti, C., 59
De Castro, I., 51
Delis, J.G.P., 125
Delpon-Lacaze, G., 59
Den Besten, R., 191
Desai, H., 1
De Vos, D., 203

Eaborn, C., 277
Ebert, K.H., 149
Elduque, A., 119
Enders, D., 227
Englert, U., 243
Escudié, J., 37

Fawcett, J., 87
Fernández, E.J., 169
Fey, P., 227
Fiedler, D.A., 137
Font-Bardía, M., 177
Fraanje, J., 125
Frenzel, A., 281

Galakhov, M.V., 51
Gamasa, M.P., 287
García-Granda, S., 197
Gavioli, G., 29
Gielen, M., 203
Gimeno, J., 287
Gimeno, M.C., 169
Gluth, M., 281
Gómez, M., 51
Gómez-Sal, P., 51
Goubitz, K., 125
Gouygou, M., 37
Gröger, G., 81
Guillevic, M.A., 157
Guo, H., 183

Hansen, J.A., 13
Hanusa, T.P., 73
Hartung, H., 233
Hatzidimitriou, A., 163
Hays, M.L., 73
Herbst-Irmer, R., 281
Herrmann, W.A., 111
Hill, E.A., 1
Hiller, J., 219
Hirao, T., 153
Hope, E.G., 87
Hu, N., 183
Huch, V., 37

Ikeda, I., 153

Jandeleit, B., 227
Jarauta, M.P., 119

Keim, W., 271
Klingebiel, U., 281
Koenig, M., 37
Köstlmeier, S., 111
Kourkoumelis, N., 163
Kovala-Demertzi, D., 163

Laguna, A., 169
Laguna, M., 169
Lahoz, F.J., 103, 119
Lakin, M.T., 191
Lanfranchi, M., 287
Lapinte, C., 157
Leoni, P., 243
Lindeman, S.V., 29
Lohray, B.B., 227
López-de-Luzuriaga, J.M., 169
Lu, S., 183

Maas, H., 271
Mach, K., 219
Martin, A., 51
Martínez-García, M.A., 197
Martins, J.C., 203
Mattner, M.R., 137
Meille, S.V., 213
Menashe, N., 97
Miano, E., 213
Milius, W., 45, 257
Montejano, C., 93
Moriuchi, T., 153
Mourad, Y., 149
Mugnier, Y., 149

Nagy, A., 23
Nile, T.A., 73

Olbrich, F., 81
Olmos, E., 169
Oro, L.A., 103, 119

Pacchioni, G., 111
Pályi, G., 29
Pasquali, M., 243
Pérez-Torrente, J.J., 103
Pieri, G., 243
Pinillos, M.T., 119
Polášek, M., 219
Pons, A., 177
Porri, L., 213
Pozdniakova, Yu.A., 29
Priermeier, T., 137
Probst, J., 149
Psaro, R., 29

Ramirez, J., 23
Rheingold, A.L., 13
Richter, F., 233
Riera, V., 197
Ripa, A., 213
Rösch, N., 111
Rossell, O., 177
Royo, P., 51, 93
Rüffer, T., 29
Russell, D.R., 87

Elsevier Science S.A.

Salant, E., 97
Schmid, M.A., 45
Schmitz, T., 227
Schollmeyer, D., 233
Seco, M., 177
Shade, J.E., 13
Shchegolikhina, O.I., 29
Shi, Y., 183
Shvo, Y., 97
Solans, X., 177
Spek, A.L., 125, 191
Suhr, H., 23
Szepes, L., 23
Thewalt, U., 219
Thiel, W.R., 137
Tiekink, E.R.T., 203
Tiripicchio, A., 103, 287
Ugo, R., 29
Van der Maelen, J.F., 197
Van Leeuwen, P.W.N.M., 125
Varga, V., 219
Veith, M., 37
Veldman, N., 125, 191
Vrieze, K., 125
Weichmann, H., 233
Weiss, E., 81
Willem, R., 203
Wu, Q., 183
Zanathy, L., 23
Zenk, R., 257
Zhang, L., 287
Zhdanov, A.A., 29
Zucchi, C., 29

ELSEVIER

Journal of Organometallic Chemistry 514 (1996) 301–308

Journal of Organometallic Chemistry

Subject Index of Volume 514

Ab initio study
Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111

Addition
Le dimésitylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Alkali metal ions
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{=}SiMe_3)_2]^- M^+$ (M = Li, Na, K or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219

Alkyl alkylidene imino acyl
Pentamethylcyclopentadienyl halo– and alkyl–alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2\text{-}O(2\text{-}CH_2\text{-}6\text{-}MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Alkyl phenoxides
Pentamethylcyclopentadienyl halo– and alkyl–alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2\text{-}O(2\text{-}CH_2\text{-}6\text{-}MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Alkyls
Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Alkyne
Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin-μ^2-Halogeno-μ^4-Oxo–Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81

Alkynyls
Synthesis and characterization of novel neutral σ-alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[Mo(C{\equiv}C^tPr)(CO)_2(dppe)(NO)]$ [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

Allylic substitution
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1 +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Allyls
Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

2-Aminopyrimidine
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163

Antimony
Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with $p\text{-TolSbCl}_2$, crystal structure of $[Cp_2Co][p\text{-TolSbCl}_3]$, and electroreduction of $p\text{-TolSbCl}_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

Asymmetric synthesis
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1 +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Au
Ionic complexes $[Au_2(P\text{–}P)_2][Co(CO)_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177

Barium
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Calcium
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Carbene complex
Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Carbon-13
Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Carbon monoxide
Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)$[PtCl_2(CH_2{=}CH_2)]_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Carbonyl
Crystal structure of μ_2-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_2-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97

Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $RuCl_3 \cdot nH_2O$ or $[Ru_3(CO)_{12}]$ as

starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

Carbonyl complexes
Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137

Carbonyls
Synthesis and characterization of novel neutral σ-alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[Mo(C{\equiv}C^{n}Pr)(CO)_2(dppe)(NO)]$ [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

Catalysis
Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_n CR'_2C_5H_4)ZrCl_2$ (n = 1, 2; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257
Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45

Catalytic reduction
Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97

Chemical vapour deposition
Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23

Cluster
Crystal structure of μ_2-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_2-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87
Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6\{[(C_6H_5SiO_2)_8]_2Nd_4(\mu_4\text{-}O)\}$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $RuCl_3 \cdot nH_2O$ or $[Ru_3(CO)_{12}]$ as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

Co
Ionic complexes $[Au_2(P\text{–}P)_2][Co(CO)_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177

Cobalt
Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with p-$TolSbCl_2$, crystal structure of $[Cp_2Co][p\text{-}TolSbCl_3]$, and electroreduction of p-$TolSbCl_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

Copolymerization
Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Copper
Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin-μ^2-Halogeno-μ^4-Oxo–Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81

Crystal structure
Crystal structure of μ_2-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_2-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87
Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin-μ^2-Halogeno-μ^4-Oxo–Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163
The solid state structures of *ortho*-lithio-β-(*N*,*N*-dimethylamino) ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191
The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Cubane structure
$[CpTi(\mu_3\text{-}S)_3\{Rh(tfbb)\}_3]$: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103

Cyanate
The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eaborn), 277

Cycloaddition
Le dimésitylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Cyclopentadienyl
Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with p-$TolSbCl_2$, crystal structure of $[Cp_2Co][p\text{-}TolSbCl_3]$, and electroreduction of p-$TolSbCl_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

Cyclopentadienyls
Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form $Ru_2(CO)_4(\eta^5,\eta^5\text{-}C_5H_4LC_5H_4)$ (L = CH_2–, $(CH_3)_2C$–, C_2H_4– and $(CH_3)_2Si$–). The molecular structure of $[Ru(CO)_2][Ru(CO)_2Cl](\eta^5,\eta^5:\eta^1\text{-}C_5H_4CH_2C_5H_3)$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13
Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenca, C. Montejano and P. Royo), 93

Cyclovoltammetry
Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137

Di- and tri-nuclear complexes
Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

1,6-Dicarbonyl derivatives
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Dinuclear complexes
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

1,3-Diphosphaallyl anion

Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudié, V. Huch and M. Koenig), 37

Diphosphiranes

Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudié, V. Huch and M. Koenig), 37

Diphosphorylmethanes

The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Dppm complexes

Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Electrochemistry

Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6[\{(C_6H_5SiO_2)_8\}_2Nd_4(\mu_4\text{-}O)]$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with $p\text{-TolSbCl}_2$, crystal structure of $[Cp_2Co][p\text{-TolSbCl}_3]$, and electroreduction of $p\text{-TolSbCl}_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

Ene-reaction

Le dimésitylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Ethyl diazoacetate

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Ethylene-selective catalysts

Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45

Fe

A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Ferrocene

Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)$[PtCl_2(CH_2{=}CH_2)]_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137

Ferrocene ligand

A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Fluorine

Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekink and M. Gielen), 203

Fluxionality

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Formyl complex

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Gold(I)

Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Gold(II)

Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Group 14

Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekink and M. Gielen), 203

Hafnium

Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_n)CR'_2C_5H_4)ZrCl_2$ ($n = 1, 2$; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257

Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenca, C. Montejano and P. Royo), 93

Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45

Halo alkoxides

Pentamethylcyclopentadienyl halo– and alkyl–alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2\text{-}O(2\text{-}CH_2\text{-}6\text{-}MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Heterobimetallics

A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Heterometallic clusters

Ionic complexes $[Au_2(P\text{–}P)_2][Co(CO)_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177

Heterometallic complex
[CpTi(μ_3-S)$_3${Rh(tfbb)}$_3$]: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103
Heteronuclear complexes
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of [Rh$_2$(μ-SPPh$_2$)(μ-Cl)(COD)$_2$] (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Hydrido
Crystal structure of μ_2-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_2-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87
Hydrolysis
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163

Imidazolylsilanes
Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281
Iminophosphanes
Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281
Indenyl
Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45
Indolylphosphanes
Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281
Indolylsilanes
Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281
Infrared spectra
Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1
Insertion
Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)[PtCl$_2$(CH$_2$=CH$_2$)]$_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125
IR
The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233
Iron
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227
IR spectroscopy
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163

Isomerization
The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eaborn), 277

Kinetic resolution
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Lanthanide
Cyclosiloxane sandwich complexes of a lanthanide metal: Na$_6${[(C$_6$H$_5$SiO$_2$)$_8$]$_2$Nd$_4$(μ_4-O)} (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
Lithium
The solid state structures of *ortho*-lithio-β-(*N*,*N*-dimethylamino) ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191

Magnesium
Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1
Mechanism
The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eaborn), 277
Mechanism of formation
Ionic complexes [Au$_2$(P–P)$_2$][Co(CO)$_4$]$_2$ as intermediates in the synthesis of compounds containing a Co$_2$Au$_2$ core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177
Metal carbonyl
Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form Ru$_2$(CO)$_4$(η^5,η^5-C$_5$H$_4$LC$_5$H$_4$) (L = CH$_2$–, (CH$_3$)$_2$C–, C$_2$H$_4$– and (CH$_3$)$_2$Si–). The molecular structure of [Ru(CO)$_2$][Ru(CO)$_2$Cl](η^5,η^5:η^1-C$_5$H$_4$CH$_2$C$_5$H$_3$) (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13
Metallocene
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73
Metallocene complexes
Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs (C$_{13}$H$_{8-n}$R$_n$CR'$_2$C$_5$H$_4$)ZrCl$_2$ (n = 1, 2; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257
Methyltrioxorhenium
Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111
Mo
Synthesis and characterization of novel neutral σ-alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of [Mo(C≡C^{t}Pr)(CO)$_2$(dppe)(NO)] [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287
Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

MOCVD
Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23

Neodymium
Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6\{[(C_6H_5SiO_2)_8]_2Nd_4(\mu_4\text{-}O)\}$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Nitrosyls
Synthesis and characterization of novel neutral σ-alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[Mo(C{\equiv}C^nPr)(CO)_2(dppe)(NO)]$ [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

NMR
Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekink and M. Gielen), 203
The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Nuclear magnetic resonance spectra
Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Organotin
The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Osmium
Crystal structure of μ_2-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_2-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

μ^4-Oxo complexes
Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin-μ^2-Halogeno-μ^4-Oxo–Kupfer(I)-Komplexen, Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81

Palladium
Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)$[PtCl_2(CH_2{=}CH_2)]_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125
Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Palladium(II) complex
A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Pd
A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Pendant bases
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Pentacoordination
The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Pentamethylcyclopentadienyl derivatives
Pentamethylcyclopentadienyl halo– and alkyl–alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2\text{-}O(2\text{-}CH_2\text{-}6\text{-}MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Pentaphenylcyclopentadienyl
Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Phosphido
Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Phosphinite
Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Phosphorous small rings
Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudié, V. Huch and M. Koenig), 37

Photochemistry
Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form $Ru_2(CO)_4(\eta^5,\eta^5\text{-}C_5H_4LC_5H_4)$ (L = CH_2–, $(CH_3)_2C$–, C_2H_4– and $(CH_3)_2Si$–). The molecular structure of $[Ru(CO)_2][Ru(CO)_2Cl](\eta^5,\eta^5{:}\eta^1\text{-}C_5H_4CH_2C_5H_3)$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13

Planar chirality
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Platinum
Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)$[PtCl_2(CH_2{=}CH_2)]_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

^{31}P NMR spectra
Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Polyketone
Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271
Polymerization
Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_n CR'_2C_5H_4)ZrCl_2$ (n = 1, 2; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257
Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45
Preparation
Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudié, V. Huch and M. Koenig), 37
Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenca, C. Montejano and P. Royo), 93
Pyridene-2-thiolato complexes
Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183
Pyrrolylsilanes
Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Rh
$[CpTi(\mu_3\text{-}S)_3\{Rh(tfbb)\}_3]$: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Rhenium
Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111
Rhodium catalysis
Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67
Ruthenium
Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97
Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form $Ru_2(CO)_4(\eta^5,\eta^5\text{-}C_5H_4LC_5H_4)$ (L = CH_2–, $(CH_3)_2C$–, C_2H_4– and $(CH_3)_2Si$–). The molecular structure of $[Ru(CO)_2][Ru(CO)_2Cl](\eta^5,\eta^5:\eta^1\text{-}C_5H_4CH_2C_5H_3)$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13
Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $RuCl_3 \cdot nH_2O$ or $[Ru_3(CO)_{12}]$ as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

Si
Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67
3-Silaglutarates
Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67
Silane
Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23
Silene
Le dimésitylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59
Silicon
Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6\{[(C_6H_5SiO_2)_8]_2Nd_4(\mu_4\text{-}O)\}$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form $Ru_2(CO)_4(\eta^5,\eta^5\text{-}C_5H_4LC_5H_4)$ (L = CH_2–, $(CH_3)_2C$–, C_2H_4– and $(CH_3)_2Si$–). The molecular structure of $[Ru(CO)_2][Ru(CO)_2Cl](\eta^5,\eta^5:\eta^1\text{-}C_5H_4CH_2C_5H_3)$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13
The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eaborn), 277
Silicon carbide
Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23
Silicon hydrides
Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67
Siloxane
Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6\{[(C_6H_5SiO_2)_8]_2Nd_4(\mu_4\text{-}O)\}$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
Sodium
The solid state structures of *ortho*-lithio-β-(*N*,*N*-dimethylamino) ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191
Stannoxane
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163
Stereospecific syntheses
Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157
Strontium
Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73
Substituted anilines
Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $RuCl_3 \cdot nH_2O$ or $[Ru_3(CO)_{12}]$ as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197
Sulfide
Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Sulfur
Molecular structure of 2,2′-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213
Sulphides
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Syndiotactic polypropylene
Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_n CR'_2C_5H_4)ZrCl_2$ (n = 1, 2; R = Alkyl, Aryl; R′ = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257
Syntheses
Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169
Synthesis
Le dimésitylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59
Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Tantalum
Pentamethylcyclopentadienyl halo- and alkyl–alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2\text{-}O(2\text{-}CH_2\text{-}6\text{-}MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51
Tetracarbonyl(η^3-allyl)iron(1 +) complex
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1 +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227
2,2′-Thiobisphenoxy ligand
Molecular structure of 2,2′-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213
Thiophosphinito
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Ti
$[CpTi(\mu_3\text{-}S)_3\{Rh(tfbb)\}_3]$: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103
Tin
Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekink and M. Gielen), 203
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163
Ti–S interaction
Molecular structure of 2,2′-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213
Titanium
Molecular structure of 2,2′-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213
Titanium(III)
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{=}SiMe_3)_2]^- M^+$ (M = Li, Na, K or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219
Titanium tweezer
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{=}SiMe_3)_2]^- M^+$ (M = Li, Na, K or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219
Trans-complexes
Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271
Trinuclear complexes
Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183
1,1,1-tris(diphenylphosphinomethyl)ethane complexes
Different coordination modes of the 1,1,1-tris(diphenylphosphinomethyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169
Tungsten
Crystal structure of μ_3-hydridododecacarbonyltriosmium dioxo-octafluoro-μ_3-fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

a^4-Umpolung
Regio- and stereoselective a^4-umpolung reactions of α,β-unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3-allyl)iron(1 +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Vibrational spectroscopy
Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111

W
Synthesis and characterization of novel neutral σ-alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[Mo(C{\equiv}C^nPr)(CO)_2(dppe)(NO)]$ [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

X-ray crystal structure
Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudié, V. Huch and M. Koenig), 37
Ionic complexes $[Au_2(P\text{–}P)_2][Co(CO)_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177
Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu\text{-}P^tBu_2)(\mu\text{-}dppm)(\eta^1\text{-}dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

X-ray diffraction
The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro (μ-oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzi), 163
X-ray structural analysis
Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with $p\text{-TolSbCl}_2$, crystal structure of $[Cp_2Co][p\text{-TolSbCl}_3]$, and electroreduction of $p\text{-TolSbCl}_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149
X-ray structure
$[CpTi(\mu_3\text{-}S)_3(Rh(tfbb))_3]$: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103
Molecular structure of 2,2′-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213
Synthesis and characterization of novel neutral σ-alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[Mo(C{\equiv}C^nPr)(CO)_2(dppe)(NO)]$ [dppe = 1,2-bis (diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287
Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekink and M. Gielen), 203
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}SiMe_3)_2]^-M^+$ (M = Li, Na, K or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219
Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137
Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $RuCl_3 \cdot nH_2O$ or $[Ru_3(CO)_{12}]$ as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197
X-ray structures
Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[Rh_2(\mu\text{-}SPPh_2)(\mu\text{-}Cl)(COD)_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119
Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

Zirconium
Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_n)CR'_2C_5H_4)ZrCl_2$ (n = 1, 2; R = Alkyl, Aryl; R′ = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257
Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45